

# Chanakya National Law University

## Nyaya Nagar, Mithapur, Patna- 01

NIQ No. - 54/2023-24

Date: - 06.02.2024




### NIQ FOR SUPPLY OF FURNITURE ITEMS

Chanakya National Law University, Patna invites quotations from the reputed firms /agency / Distributor for supply of furniture items for DPIIT-IPR Chair of CNLU, Patna.

Last date & time of submitting filled in quotation document: up to 12.02.2024 till 02.00 pm.

Place of all meeting : Chamber of Registrar, CNLU, Patna.

#### A. The details of items are mentioned here under:-

Sl. No.	Particular of items	Qty.	Rate	Amount	Sample
1.	<b>Steel Almira :</b> Size- 78" × 36" × 19" (20 Gauge) 4 Self and 5 Compartment as per approved design and colour. Sample shall be approved by Competent Authority.	04 Pcs.			
2.	<b>Steel Book Self :</b> Size- 78" × 36" × 19" (20 Gauge) 4 Self and 4 Compartment. As per approved design and colour. Sample shall be approved by Competent Authority.	04 Pcs.			
3.	<b>Executive Office Table :</b> Size- (5'×2'.6"×2'.6") – 18 mm, MR water proof with sunmica 0.8 mm. Outer teak sunmica and inner white sunmica. One side 3 drawer with lock. All material fittings complete work as per approved colour and brand. Sample shall be approved by Competent Authority.	01 Pcs.			
	<b>Total Amount including GST</b>				




# Chanakya National Law University

## Nyaya Nagar, Mithapur, Patna- 01

NIQ No. - 54/2023-24

Date: - 06.02.2024

### B. Detail of Furniture items:

Sl. No.	Particular of items	Qty.	Rate	Amount	Sample
1.	<p><b>Computer Table :</b> Model Companion, size 1200 (W) x 600 (D) x 750 (H) made of 18mm thick Pre-Laminated Board with PVC edge banding. Panel of 18mm thick Pre-Laminated Board with Single extrusion slide for Key Board fitted with 4 Nos. Caster. Sample shall be approved by Competent Authority.</p>	03 Pcs.			
2	<p><b>Chair Model -</b> Chair of Overall Size : 58.0 cm (W) x 56.5 cm (D) x 87.5 cm (H) x 48.0 cm (SH) Seat and back are made from seasoned wood and plywood. The same is upholstered with black synthetic leather and polyurethane foam. Back Size- 46.0 cm (W) X27.0 cm (H).</p> <p>Seat Size: 46.0 cm (W) x 40.0cm (H). The armrest is gas assisted injection moulded from black polypropylene. The under structure assembly is a cantilever type frame. Width of the chair- 58cm, Depth- 56.5cm, Height- 87.5cm, Seat Height- 48cm Sample Chair shall be approved by Competent Authority.</p>	02 Pcs.			
3.	<p><b>High Back Chair - SEAT/BACK ASSEMBLY:</b> The back is made up of 1.2 ±0.1cm. thick hot-pressed plywood &amp; seat is made up of 1.5 ±0.1cm. thick hot-pressed plywood measured as per QA method described in OCP-QLTAP14-18 and upholstered with fabric upholstery covers and moulded Polyurethane foam. The back foam is designed with contoured foam lumbar support. The seat has extra thick foam on front edge to give comfort to popliteal area. The chair seat &amp; back size are *HIGH BACK SIZE 52.0 cm. (W) x 83.0 cm. (H) *SEAT SIZE 54.0 cm. (W) x 51.5 cm. (D) HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam is moulded with density = 45±2 kg/m<sup>3</sup> and hardness load 14 ± 2 kgf as per IS: 7888 for 25% compression. ARMRESTS: The adjustable armrest is designed with the following features: · Up Down adjustment– 6 steps (7.2 ± 0.5cm range) · Armrest top is mounted on Armrest structure made of glass filled Nylon. Armrest Top is</p>	01 Pcs.			

# Chanakya National Law University

Nyaya Nagar, Mithapur, Patna- 01

NIQ No. - 54/2023-24

Date: - 06.02.2024

	<p>PU moulded over glass filled Nylon insert. CENTER TILT SYNCHRO MECHANISM WITH MULTI LOCK: The mechanism is designed with the following features: · 360° revolving type. · 3 position locking with anti-shock mechanism. · Tilt tension adjustment TUBULAR VISITOR FRAME: The powder coated (DFT 40-60 microns) tubular frame is cantilever type &amp; made of <math>\varnothing 2.54 \pm 0.03\text{cm}</math>. x <math>0.2 \pm 0.016\text{cm.thk}</math>. M.S. ER.W. Tube. PEDESTAL ASSEMBLY: The pedestal is injection moulded in black 33% glass-filled Nylon and fitted with 5 nos. twin wheel castors. The pedestal is <math>66.1 \pm 0.5\text{cm}</math>. Pitch-center dia. (<math>76.1 \pm 1.0\text{cm}</math> with castors). TWIN WHEEL CASTORS: The twin wheel castors are injection moulded in Black Nylon. The product should be Greenguard UL , BIFMA certified- Sample Chair shall be approved by Competent Authority.</p>				
	<b>Total Amount including GST</b>				

**Terms and Conditions:**

1. All materials will be approved by CNLU Authority.
2. The firm should be authorized dealer/agency.
3. The firm should have registration of Dealership/Agency and GST number.
4. Payment will be made after verification of materials received.
5. Prices will remain firm during the pendency of contract.
6. Statutory deductions will be made from the bills submitted by you.
7. Materials should be new from fresh stock and strictly as per technical specifications Stipulated.

I / We hereby declare that information furnished above is true and correct and the documents annexed are genuine.

Signature of the Quotationer / Authorized Signatory

Name & Signature of the Quotationer with Designation

Place: Patna

Date: 06.02.2024.

Registrar  
CNLU, PATNA